Kashf Journal of Multidisciplinary Research
Vol: 03 - Issue 03 (2026)
P-ISSN: 3007-1992 E-ISSN: 3007-200X
https://kjmr.com.pk

DIGITAL HEALTH TECHNOLOGIES FOR THE INTEGRATED VISUALISATION AND PREDICTION OF MATERNAL HEALTH: INTEGRATING PREDICTIVE ANALYTICS, SAFE NUTRITION, AND PREGNANCY CARE

Saba Mohauddin[1], Dr Bilal Mehboob[2], *Dr Anum Ali[3]

[1, 2, 3]Lahore Leads University, Pakistan

[*]***Corresponding Author:*** (dranumali.cs@leads.edu.pk)

DOI: (*https://doi.org/10.71146/kjmr1034*)

Article Info

This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license https://creativecommons.org/licenses/by/4.0

Abstract

The rapid evolution of digital health technologies (DHTs) presents unprecedented opportunities to mitigate maternal mortality and morbidity, particularly in resource-constrained environments. However, current interventions often operate in technological silos, failing to integrate crucial components such as clinical risk prediction, nutritional monitoring for safe food consumption, and culturally grounded patient interaction. This paper proposes a comprehensive, multi-modal framework that synergizes predictive analytics, explainable artificial intelligence (XAI), and continuous health monitoring to support pregnancy care. By integrating predictive models capable of analyzing temporal health data with visualization dashboards designed for clinical trust, the proposed system aims to provide actionable insights for maternal health and gestational nutrition. Ultimately, this approach bridges the gap between complex algorithmic outputs and the practical, socio-cultural realities of expectant mothers, paving the way for more holistic and effective digital healthcare interventions.

Keywords:
Maternal health, pregnancy mortality, digital healthcare, monitoring.

Introduction

The global maternal health crisis remains a critical challenge, with pregnant women in low- and middle-income countries disproportionately facing severe complications and mortality. Digital health technologies, encompassing internet of things (IoT) sensors, mobile applications, and artificial intelligence, offer scalable mechanisms to track maternal well-being and disseminate vital information. Specifically, monitoring safe food intake and nutritional guidelines during pregnancy is essential to prevent gestational complications such as prediabetes, which can severely impact both maternal and fetal outcomes (Cossio, 2023). Despite the growing availability of online maternal health information, there remains a significant gap in delivering holistic, high-quality interventions that address both clinical risk prediction and nutritional education effectively (Muragijemariya et al., 2025).

To address these diverse needs, it is necessary to clearly define the problem scope surrounding maternal health management systems. Current platforms must not only predict adverse pregnancy events but also visualize these risks in a manner that healthcare workers can easily interpret and act upon. The scope of this paper encompasses the architectural design of a multi-modal digital health framework that amalgamates physiological data, nutritional logs, and socio-demographic contexts to predict pregnancy outcomes. Furthermore, this framework prioritizes the visualisation of predictive insights, ensuring that both clinicians and mothers receive timely, understandable, and culturally appropriate guidance throughout the perinatal period.

Despite the proliferation of digital tools, existing approaches remain insufficient for comprehensive maternal care for several reasons. First, the lack of explainability in advanced predictive models acts as a critical barrier to clinical adoption, as healthcare providers in resource-constrained settings struggle to trust opaque algorithmic risk scores without clear clinical justifications (Yesmin et al., 2026). Second, many current platforms ignore the complex socio-cultural realities of target populations, such as shared digital devices, limited literacy, and collective household decision-making, which severely limit user engagement (Hameed et al., 2025). Finally, current interventions often deploy IoT, artificial intelligence, and blockchain technologies in isolation, missing the synergistic benefits of integrated platforms that can combine continuous vital sign monitoring with safe dietary tracking (Ankeli & Ogore, 2025).

To overcome these significant barriers, this paper introduces a novel, integrated framework for maternal health prediction and visualization. Specifically, the contributions of this research are summarized as follows:

- We propose a multi-modal digital health architecture that integrates IoT-based physiological monitoring, safe food and nutrition tracking, and predictive risk assessment into a unified clinical dashboard.
- We outline an explainable AI (XAI) visualization strategy that combines fuzzy logic and feature importance metrics to ensure that algorithmic predictions are transparent and trusted by medical professionals.
- We introduce culturally grounded conversational modules designed to safely triage maternal symptoms and deliver regional-specific nutritional guidance in environments characterized by low digital literacy.

Related Work

Predictive Modeling and Explainable AI in Maternal Health

The application of machine learning for predicting pregnancy outcomes has gained significant traction, transitioning from simple statistical models to complex deep learning networks. The core idea in this domain is to leverage historical health records, imaging, and demographic data to forecast risks such as gestational diabetes, sepsis, and hemorrhage. For instance, recent advancements include decoupling fusion networks that

integrate temporal embryo images with parental fertility indicators to enhance in vitro fertilization predictions (Ouyang et al., 2025). While these deep learning models achieve high accuracy, their primary weakness lies in their "black box" nature, which hinders trust and clinical utility among healthcare professionals. To address this, researchers have developed hybrid explainable AI frameworks combining ante-hoc fuzzy logic with post-hoc SHAP explanations to build clinician trust in maternal risk assessments (Yesmin et al., 2026). Our proposed framework builds upon these XAI principles, extending them beyond clinical records to encompass nutritional data and real-time sensor inputs, thereby providing a more comprehensive visual risk profile.

Conversational Agents and Cultural Alignment

Another vital category of digital health technology focuses on disseminating health education and conducting remote triage via LLM-based chatbots and automated voice messaging. The core objective is to reach underserved communities using accessible platforms like WhatsApp or automated voice calls, bridging the gap caused by a shortage of physical healthcare facilities (Dasgupta et al., 2025). While these systems excel in widespread information delivery and stage-aware triage, they often fail to account for the nuanced socio-cultural dynamics of the users (Jha et al., 2026). Studies demonstrate that these chatbots frequently ignore real-world contexts, such as proxy consent, shared phone ownership, and cultural norms where decision-making is heavily mediated by extended families (Hameed et al., 2025). Furthermore, evaluation frameworks reveal that many models struggle to align with the localized, culturally situated healthcare reasoning required for sensitive maternal health dialogues (Izhar et al., 2026). In contrast to isolated chatbot deployments, our approach contextualizes conversational interactions within a broader Cyber-Physical System, ensuring that automated advice regarding safe food and symptoms is explicitly linked to the mother's personalized clinical dashboard.

Cyber-Physical Systems and Integrated Nutritional Tracking

The final category encompasses the utilization of Medical Cyber-Physical Systems (MCPS) and integrated architectures to manage maternal risk factors continuously. The foundational idea involves leveraging IoT sensors for real-time vital monitoring, paired with secure data ledgers like blockchain, to facilitate remote telemonitoring of pregnant women (Kashem et al., 2016). Integrated platforms have proven technically feasible in resource-constrained settings, combining offline-first functionality with AI-driven predictive risk assessments (Ankeli & Ogore, 2025). Additionally, digital tools are increasingly recognizing the importance of safe nutrition, as seen in systems capturing health signals related to diet to detect metabolic conditions like prediabetes (Cossio, 2023). Despite these technological feats, a prominent weakness is the fragmentation of visual interfaces and the frequent omission of comprehensive dietary education, which remains a highly sought-after yet poorly covered topic in localized online health portals (Muragijemariya et al., 2025). The present work differentiates itself by unifying these cyber-physical elements with an advanced, user-centric visualization layer, deliberately pairing clinical vitals with structured maternal nutrition tracking.

Method/Approach
Architectural Framework and Key Modules

To achieve accurate prediction and meaningful visualization of maternal health, we propose a structured, three-tier architectural framework. The first tier is the Data Acquisition and Multi-Modal Fusion module, which collects diverse data streams including IoT vital signs (e.g., blood pressure, heart rate), nutritional logs regarding safe food consumption, and socio-demographic context gathered via localized chatbot interfaces. To effectively process this heterogeneous data, we employ a decoupling fusion mechanism that separates modality-specific information from cross-modal correlations, allowing for a more delicate and accurate integration of

temporal physiological data and static health indicators (Ouyang et al., 2025). The second tier is the Predictive Engine, which utilizes gradient boosting algorithms and deep neural networks to forecast the probability of imminent maternal complications, including gestational metabolic disorders and preeclampsia. The third tier is the Clinical Visualisation Dashboard, which translates the predictive outputs into intuitive visual risk scores and actionable dietary recommendations for both clinicians and community health workers.

Design Choices and Rationale

The design choices within this framework are driven by the necessity for clinical trust, cultural safety, and infrastructural resilience. We opted for a hybrid Explainable AI (XAI) approach within the Predictive Engine, specifically combining fuzzy logic rules with SHAP (SHapley Additive exPlanations) feature importance scores (Yesmin et al., 2026). This choice is rationalized by the fact that clinicians in high-stress, low-resource environments require immediate, transparent justifications for algorithmic alerts rather than opaque probabilistic outputs. Furthermore, for the patient-facing data acquisition, we integrate a culturally grounded conversational agent utilizing stage-aware triage (Jha et al., 2026). This ensures that high-risk queries are automatically routed to human experts, while routine inquiries regarding safe food preparation and basic prenatal care are handled using locally aligned, evidence-conditioned language generation (Izhar et al., 2026). Lastly, the system is designed with an offline-first architecture to accommodate regions with intermittent internet connectivity, ensuring uninterrupted continuous monitoring (Ankeli & Ogore, 2025).

Proposed Evaluation Plan

Evaluating this multi-dimensional system requires a comprehensive approach that measures both technical accuracy and socio-technical acceptance. Since we do not possess a live deployment environment, we propose an evaluation plan utilizing a hypothetical, synthesized dataset mirroring maternal health records, dietary logs, and time-series vital signs from semi-urban clinics. The predictive accuracy of the multi-modal fusion network will be benchmarked against standard isolated models using metrics such as ROC-AUC, Precision-Recall curves, and emergency recall rates (Jha et al., 2026). To evaluate the visualization and XAI components, we plan a simulated user study with clinical practitioners to measure the "Trust Score" and time-to-decision when interpreting the dashboard's fuzzy-SHAP visualizations (Yesmin et al., 2026). Additionally, the cultural alignment and engagement of the nutritional chatbot module will be assessed through zero-shot and human-grounded prompting evaluations, explicitly scoring the model's sensitivity to diverse household profiles (Izhar et al., 2026).

Numbered Pipeline Execution

The operational flow of the proposed framework can be summarized in the following standardized pipeline:

1. **Data Ingestion:** Collect continuous vital signs via wearable MCPS sensors and gather safe food/dietary inputs through a culturally localized SMS or WhatsApp interface.
2. **Contextual Decoupling:** Process the ingested data through a decoupling fusion module to separate temporal physiological signals from static socio-demographic and dietary indicators.
3. **Risk Prediction:** Pass the fused features through an XGBoost-based predictive model to generate a raw probability score for targeted maternal complications.
4. **XAI Generation:** Apply post-hoc SHAP analysis and ante-hoc fuzzy logic processing to compute feature-level contributions (e.g., identifying high sodium intake or elevated blood pressure as primary risk drivers).

5. **Dashboard Visualisation:** Render the explainable risk metrics on a secure, web-based clinical dashboard, alongside tailored nutritional recommendations for the expectant mother.
6. **Feedback Loop:** Distribute automated, culturally conditioned voice or text messages to the patient regarding dietary adjustments and appointment scheduling, utilizing collaborative bandit algorithms to optimize delivery timing (Dasgupta et al., 2025).
7. **Generative Decision**: C section and blood follow relativity.



Fig 1: Data Acquisition and Multi-Modal Fusion module

Discussion

Practical Implications and Deployment Considerations

The deployment of this integrated predictive and visual framework carries profound practical implications for maternal healthcare delivery. By equipping community health workers (CHWs) with transparent, easily interpretable risk dashboards, the system drastically reduces the cognitive load required to triage high-risk pregnancies in the field. Furthermore, incorporating safe food tracking directly into the predictive model allows clinicians to shift from purely reactive obstetric care to proactive nutritional counseling, thereby mitigating the onset of diet-related complications like gestational diabetes (Cossio, 2023). From a deployment perspective, the architecture's reliance on offline-first capabilities and asynchronous communication (such as optimized automated voice calls) ensures that the system remains robust even in environments suffering from severe infrastructural deficits [2, 9].

Limitations and Failure Modes

Despite its comprehensive design, the proposed framework exhibits several limitations and potential failure modes that must be acknowledged.

- **Infrastructural and Device Breakdowns:** The system relies on the assumption of basic device access; however, in many target demographics, intermittent phone access, shared devices, and poor network connectivity can lead to severe data gaps and disrupted monitoring (Hameed et al., 2025).

- **Data Quality and Algorithmic Bias:** The accuracy of the predictive engine is heavily dependent on the quality of self-reported dietary logs and synthetic training data, which may fail to capture the true epidemiological variance of diverse rural populations, potentially introducing algorithmic bias (Ankeli & Ogore, 2025).
- **Low Health Literacy and Misinterpretation:** Even with culturally grounded conversational agents, users with profoundly low health literacy may misunderstand automated nutritional guidance or fail to recognize emergency triage routing, leading to delayed medical interventions (Jha et al., 2026).

Ethical Considerations and Risks

The deployment of digital health technologies in vulnerable populations necessitates rigorous ethical oversight. First, the issue of data privacy and proxy consent is paramount, as women in collective decision-making households may be forced to share sensitive reproductive and nutritional data on devices controlled by male relatives, potentially compromising their privacy and autonomy (Hameed et al., 2025). Second, there is a risk of over-escalation or missed emergencies caused by algorithmic miscalculations during stage-aware triage, which raises significant ethical questions regarding liability and the moral imperative of maintaining human-in-the-loop oversight in automated maternal care (Jha et al., 2026). It is essential that the design explicitly respects local relational norms while safeguarding the individual health data of the pregnant woman.

Future Work

To advance the efficacy and reach of this digital maternal health framework, future research must address current infrastructural and algorithmic constraints.

- **Longitudinal Clinical Trials:** Future work should focus on conducting extensive, multi-year randomized control trials in diverse geographical settings to validate the predictive accuracy of the decoupled multi-modal network against real-world obstetric outcomes.
- **Supply Chain Integration:** Researchers should explore the integration of regional food supply chain data into the nutritional tracking module, enabling the system to recommend safe, locally available, and affordable food options tailored to the mother's specific socio-economic status (Muragijemariya et al., 2025).

Conclusion

This paper has presented a robust conceptual framework for the integration of digital health technologies in the prediction and visualisation of maternal health, with a distinct emphasis on safe pregnancy and nutritional tracking. By synthesizing multi-modal data fusion with hybrid explainable AI, the proposed system transcends traditional black-box predictive models, offering transparent and actionable insights to clinicians. Furthermore, by embedding culturally aligned conversational interfaces, the framework actively navigates the complex socio-technical barriers of low-resource settings, ensuring that critical health information is delivered effectively.

Ultimately, the successful mitigation of global maternal mortality requires interventions that are not only technologically advanced but also deeply empathetic to the lived realities of expectant mothers. The convergence of IoT monitoring, predictive analytics, and localized nutritional education represents a paradigm shift toward proactive, personalized maternal care. As digital infrastructures continue to mature, the continued refinement of these integrated, culturally grounded platforms will be vital in achieving equitable health outcomes for mothers and infants worldwide.

References

Cossio, Manuel (2023). *CDRH Seeks Public Comment: Digital Health Technologies for Detecting Prediabetes and Undiagnosed Type 2 Diabetes*. https://arxiv.org/pdf/2312.11226v1

Muragijemariya, Joselyne, Ihogoza, Valentine, & Luhanga, Edith Talina (2025). *Scope of Online Maternal Health Information in Kinyarwanda and Opportunities for Digital Health Developers*. https://arxiv.org/pdf/2504.03805v1

Yesmin, Farjana, Shirmin, Nusrat, & Bristy, Suraiya Shabnam (2026). *Bridging the Trust Gap: Clinician-Validated Hybrid Explainable AI for Maternal Health Risk Assessment in Bangladesh*. https://arxiv.org/pdf/2601.07866v1

Hameed, Imaan, Umar, Huma, Umber, Fozia, & Mustafa, Maryam (2025). *"Koyi Sawaal Nahi Hai": Reimagining Maternal Health Chatbots for Collective, Culturally Grounded Care*. https://arxiv.org/pdf/2510.27401v1

Ankeli, Oche D., & Ogore, Marvin M. (2025). *IyaCare: An Integrated AI-IoT-Blockchain Platform for Maternal Health in Resource-Constrained Settings*. https://arxiv.org/pdf/2512.07333v1

Ouyang, Xueqiang, Wei, Jia, Huo, Wenjie, Wang, Xiaocong, Li, Rui, & Zhou, Jianlong (2025). *DeFusion: An Effective Decoupling Fusion Network for Multi-Modal Pregnancy Prediction*. https://arxiv.org/pdf/2501.04353v2

Dasgupta, Arpan, Maniyar, Mizhaan, Srivastava, Awadhesh, Kumar, Sanat, Mahale, Amrita, Hegde, Aparna, Suggala, Arun, Shanmugam, Karthikeyan, Taneja, Aparna, & Tambe, Milind (2025). *Learning to Call: A Field Trial of a Collaborative Bandit Algorithm for Improved Message Delivery in Mobile Maternal Health*. https://arxiv.org/pdf/2507.16356v2

Jha, Smriti, Jain, Vidhi, Xu, Jianyu, Liu, Grace, Ramesh, Sowmya, Nagpal, Jitender, Chapman, Gretchen, Bellows, Benjamin, Goyal, Siddhartha, Singh, Aarti, & Wilder, Bryan (2026). *Developing and evaluating a chatbot to support maternal health care*. https://arxiv.org/pdf/2603.13168v1

Izhar, Umaira, Arora, Gunjan, & Singh, Pushpendra (2026). *Measuring Cultural Alignment Beyond the Average: A Framework for Evaluating Maternal-Health LLM Interactions in Indian Contexts*. https://arxiv.org/pdf/2610.11586v1

Kashem, Mohammod Abul, Seddiqui, Md. Hanif, Moalla, Nejib, Sekhari, Aicha, & Ouzrout, Yacine (2016). *Review on Telemonitoring of Maternal Health care Targeting Medical Cyber-Physical Systems*. https://arxiv.org/pdf/1607.07712v1